

POSTER

P.1 REGIONAL POLLEN CALENDARS FOR THE UNITED KINGDOM

Adams--Groom B.^[1], Skjøth C.A.^[1], Selby K.^[3], Pashley C.H.^[2], Satchwell J.^[2], Head K.^[4], Bartle J.^[5]

P.2 ACUTE RESPIRATORY INFECTIONS IN NON-HOSPITALIZED CHILDREN DURING FLU EPIDEMIC SEASON

Affanni P.^[1], Colucci M.E.^[1], Luciani E.^[1], Caruso L.^[1], Bracchi M.T.^[1], Capobianco E.^[1], Cantarelli A.^[2], Veronesi L.^[1]

P.3 OPERATING THEATRES BIOLOGICAL AND PARTICLE AIR QUALITY AT THE UNIVERSITY HOSPITAL OF PARMA, ITALY

Albertini R.^[1], Colucci M.E.^[2], Turchi S.^[2], Vitali P.^[2]

P.4 A COMPARATIVE OF POLLEN COUNTING METHOD: DYNAMIC COUNTING (VDI 4252/4DRAFT) VS. SPANISH AEROBIOLOGY NETWORK (REA) PROTOCOL

Alfaro--Saiz E.^[1], García--Rogado M.R.^[1], Matías--Martínez Y.^[1], Valencia--Barrera R.M.^[1], Vega--Maray A.M.^[1], Molnár T.^[2], Fernández González D.^[3]

P.5 PRELIMINARY STUDY FOR FUNGAL SPORES MONITORING IN THE ATMOSPHERE OF QATAR

Al--Nesf Ali M.^[1], Gharbi D.^[1], El Keblawy A.^[2], Trigo M.M.^[3], Mobayed H.^[1], Mohammed Ali R.^[1], Dason B.R.^[1], Sattar Hisham A.^[1], Tuffaha A.^[1], Adeli M.^[1]

P.6 AIRBORNE POLLEN COUNTS IN THE ATMOSPHERE OF QATAR: ENVIRONMENTAL INDICATORS AND ALLERGENS. PRELIMINARY DATA.

Al--Nesf Ali M.^[1], Gharbi D.^[1], El Keblawy A.^[2], Trigo M.M.^[3], Dason B.R.^[1], Mobayed H.^[1], Mohammed Ali R.^[1], Sattar Hisham A.^[1], Tuffaha A.^[1], Adeli M.^[1]

P.7 SPATIAL BI-HOURLY VARIATION OF ALTERNARIA SPORE CONCENTRATION IN WORCESTER, UK.

Apangu G.P.^{*}, Frisk C.A., Adams--Groom B., Petch G., Skjøth C.A.

P.8 THE ALLERGENIC POLLEN IN THE ATMOSPHERE OF EL-HADJAR CITY (ANNABA, ALGERIA).

Asma N.^[2], Larbi B.^[1]

P.9 IMPACT OF AERO-ALLERGENS ON HUMAN HEALTH AND MINING NOVEL ALLERGENS FROM MORINGA OLEIFERA POLLEN GRAINS

Bhattacharya S.G.^[2], Ghosh N.^[3], Sarkhel S.^[1]

P.10 THE VARIABILITY OF POLLEN CONCENTRATIONS WITHIN TWO STATIONS IN THE CITY OF WROCLAW IN POLAND.

Bilińska D.^[1], Kryza M.^[1], Werner M.^[1], Malkiewicz M.^[2]

P.11 SPATIAL AND TEMPORAL VARIATIONS IN CUPRESSUS POLLEN EXPOSURE IN LOMBARDY (NORTHERN ITALY)

Bonini M.*^[1], Ugolotti M.^[1], Cislighi G.^[1], Colombo P.^[1], Dellavedova S.^[1], Chiodini E.^[2], Berra D.^[2], Molinari A.^[3], Vercelloni S.^[3], Tacca M.C.^[4], Ferraioli E.^[4], Mascagni P.^[4], Asero R.^[5], Meriggi A.^[6], Bellinzona E.^[6], Pini A.^[7], Paganoni B.^[7], Palumbo A.^[8], Papponi L.^[9], Bianchi T.^[9], Bertolotti A.^[10], Zanca M.^[11], Re E.^[12]

P.12 DATA QUALITY IN AEROBIOLOGY: THE IMPORTANCE OF SAMPLING

Borney M.F.*, Martinet N., De Lorenzi D.

P.13 AIRBORNE POLLEN CONCENTRATIONS IN BRUSSELS (BELGIUM): LONG-TERM TRENDS AND HEALTH IMPACT

Bruffaerts N.*^[1], Hoebeke L.^[1], Guilbert A.^[1], Cox B.^[3], Delcloo A.W.^[2], Van Nieuwenhuysse A.^[1], Hendrickx M.^[1]

P.14 PREVALENCE OF HEALTHY CARRIERS OF N.MENINGITIDIS IN A SAMPLE OF YOUNG ADULTS IN SOUTHERN ITALY

Caggiano G., Tafuri S., Diella G., Lopuzzo M., Rutigliano S., De Nitto S., Infantino V., Chironna M., Montagna M.T.*

P.15 FUNGAL CONTAMINATION IN OPERATING THEATRE OF APULIA, SOUTHERN ITALY

Caggiano G., Rutigliano S., Apollonio F., De Giglio O., Diella G., Lopuzzo M., Marzella A., Pousis C., Schiraldi N., Triggiano F., Montagna M.T.*

P.16 METAGENOMIC CHARACTERIZATION OF AIRBORNE BIOAEROSOLS DURING A SEVERE PERIOD OF POLLUTION CONTINGENCY ON MEXICO CITY ATMOSPHERE

Calderón Ezquerro M.D.C.*, Serrano Silva N., Brunner C.

P.17 THE FIRST EVIDENCE: AIR DISPERSAL OF TARDIGRADE EGGS

Calik T., Bekil S.*, Tosunoglu A.

P.18 AIRBORNE POLLEN IN SASSARI (NW-SARDINIA): A 3-YEARS SURVEY, COMPARISON BETWEEN TWO POLLEN SAMPLERS.

Canu A.*^[1], Peana I.^[2], Fadda L.^[3], Fois G.^[2], Mannu G.^[2], Masia P.^[1], Pellizzaro G.^[1]

P.19 BREATHING IN THE PARKS: EXPLORING THE RELATIONSHIPS BETWEEN THE INDEX OF ALLERGENICITY OF GREEN SPACES (IUGZA) AND THE URBAN AEROBIOLOGICAL SPECTRUM.

Cariñanos P.*^[1], Casares--Porcel M.^[1], Díaz De La Guardia C.^[1], Aira M.J.^[2], Belmonte J.^[3], Boi M.^[4], Cervigón P.^[5], Elvira--Rendueles B.^[6], De Linares C.^[3], Fernández Rodríguez S.^[7], Gutiérrez--Bustillo M.^[5], Maya Manzano J.M.^[7], Pérez Badía R.^[8], Rodríguez De La Cruz D.^[9], Rodríguez--Rajo F.J.^[10], Rojo J.^[8], Romero--Zarco C.^[11], Sánchez--Reyes E.^[9], Sánchez--Sánchez J.^[9], Tormo Molina R.^[7], Vega--Maray A.M.^[12]

P.20 THE PATIENT'S HAY FEVER DIARY: THE PRELIMINARY RESULTS FROM TURKEY

Celenk S.*^[1], Malyer H.^[1], Sapan N.^[2], Ediger D.^[3], Canitez Y.^[2], Akkaya M.^[1], Berger U.^[4], Siegfried J.^[4], Smith M.^[5]

P.21 REVIEW OF EVIDENCE OF FACTORS ASSOCIATED WITH THUNDERSTORM ASTHMA EPIDEMICS AND IMPLICATIONS FOR PUBLIC HEALTH

Davies J.M.^[1], Erbas B.^[2], Simunovic M.^[1], Milic A.*^[1], Al Kouba J.^[3], Beggs P.^[3], Thien F.^[4]

P.22 BIOAEROSOL AS SENTINELL AT HIGH ALTITUDE

De Nuntiis P.*^[1], González Parrado Z.^[2], Mandrioli P.^[1], Fernández González D.^[3]

P.23 INFLUENCE OF METEOROLOGICAL CONDITIONS AND AIR POLLUTANTS ON FUNGAL SPORE CONCENTRATION IN SÃO PAULO, BRAZIL

Mendes Emygdio A.P.*^[1], Degobbi C.^[1], Gonçalves F.L.T.^[1], Engling G.^[2], Andrade M.D.F.^[1]

P.24 AEROBIOLOGICAL BEHAVIOR OF THE MAIN PATHOGENS OF POTATO CROP

Escuredo O.*, Seijo--Rodríguez A., Rodríguez--Flores M.S., Seijo M.C.

P.25 EFFECTS OF ATMOSPHERIC POLLUTANTS ON THE ALLERGENICITY OF DACTYLIS GLOMERATA L. POLLEN

Fernández--González M.*^[1], Ribeiro H.^[1], Cardoso T.^[2], Cruz A.^[3], Rodríguez--Rajo F.J.^[4], Abreu I.^[2]

P.26 SPATIAL AND TEMPORAL VARIANCE OF BI-HOURLY GRASS POLLEN CONCENTRATIONS IN THE LOCAL SURROUNDINGS OF WORCESTER, UK

Frisk C.A.*, Apangu G.P., Petch G., Adams--Groom B., Skjøth C.A.

P.27 AEROBIOLOGY IN OAXACA CITY 4 YEARS RECORDING BY HIRST TRAP

García Muñoz R.*

P.28 CULTURABLE AIRBORNE FUNGI ASSOCIATED WITH DAIRY PRODUCTION PROCESSES IN THE ITALIAN FOOD COMPANY GRANAROLO S.P.A.

Giudici S.*^[1], Melia S.^[2], Moretti A.^[2], Rodolfi M.^[1]

P.29 DOES FRAXINUS EXCELSIOR POLLEN LOAD REFLECT ASH DIEBACK INFECTION? FIRST INSIGHTS FROM AN AEROBIOLOGICAL STUDY IN TRENTO, NORTH ITALY

Gottardini E.*^[1], Cristofolini F.^[1], Cristofori A.^[1], Salvadori M.^[2], Varotto C.^[1]

P.30 THE EFFECT OF SAMPLING HEIGHT ON GRASS POLLEN CONCENTRATIONS IN DIFFERENT URBAN ENVIRONMENTS IN THE HELSINKI METROPOLITAN AREA

Hugg T.T.*, Jaakkola J.J.

P.31 A SEARCH FOR NOVEL ALLERGENS FROM PENICILLIUM OXALICUM, A DOMINANT AIRBORNE FUNGAL SPORE FROM WEST BENGAL, INDIA

Karak P.*^[3], Das S.^[2], Bhattacharya K.^[1]

P.32 TRACKING OF THE INDIVIDUAL SYMPTOM REACTION PATTERN OF PATIENT'S HAYFEVER DIARY USERS IN THE GRASS POLLEN SEASONS 2014-2016 IN VIENNA

Kmenta M.*, Bastl K., Berger U.

P.33 MODELLING OF GRASS POLLEN INTERANNUAL VARIABILITY IN THE UK: A MECHANISTIC APPROACH

Kurganskiy A.*^[1], McInnes R.N.^[2], Hanlon H.M.^[2], Creer S.^[3], De Vere N.^[4], Griffith G.^[5], Hegarthy M.^[5], Osborne N.J.^[6], Wheeler B.^[7], Brennan G.^[3], Potter C.^[5], Rowney F.^[7], Adams--Groom B.^[1], Pashley C.H.^[8], Satchwell J.^[8], Skjøth C.A.^[1]

P.34 ANALYSIS OF THE RISKS ASSOCIATED TO THE TWO RAGWEED SPECIES: AMBROSIA TRIFIDA AND A. PSILOSTACHYA

Labruyère S.*^[1], Mottet M.^[1], Fried G.^[2]

P.35 VERTICAL CONCENTRATION SIMULATIONS OF FUNGAL SPORE IN SAO PAULO METROPOLITAN AREA, BRAZIL

Mendes Emygdio A.P., Andrade M.D.F., Gonçalves F.L.T.*

P.36 ANALYSIS OF PLANT OCCUPATION OF PUBLIC GREEN SPACES: A FRENCH CASE STUDY

Monnier S., Thibaudon M.*

P.37 INFLUENCE OF CLIMATE ON THE CHRONOLOGY AND ABUNDANCE OF THE SPORAS CYATHEA, ELAPHOGLOSSUM AND MELPOMENE IN THE ATMOSPHERE OF IBAGUÉ, IN THE YEAR 2017

Mosquera H.R.*, Ramírez--Cotes D.A.

P.38 BIOAEROSOLS: CONNECTION WITH METEOROLOGICAL PARAMETERS AND ATMOSPHERIC POLLUTANTS

Oduber F.^[2], Blanco--Alegre C.^[2], Calvo A.^[2], Castro A.^[2], Fraile R.^[2], Valencia--Barrera R.M.^[1], Vega--Maray A.M.^[1], Fernández González D.*^[1]

P.39 REAL TIME MONITORING OF THE BIOLOGICAL PARTICLES IN THE AIR: RAPID-E EXAMPLE IN FRANCE

Oliver G.*^[1], Thibaudon M.^[1], Capela F.^[2], Kiseleva S.^[2], Sindt C.^[1]

P.40 INDOOR AIR FUNGAL CONTAMINATION IN A UNIVERSITY BUILDING

Pasquarella C.*, Saccani E., Capobianco E., Colucci M.E., Veronesi L., Affanni P., Zoni R., Bracchi M.T., Viani I., Morgado M., Palandri L., Tramutola V., Tanzi M.L., Signorelli C., Albertini R.

P.41 AEROBIOLOGICAL COMPARISON BETWEEN ZAFRA AND DON BENITO (SW SPAIN)

Pecero Casimiro R.*^[2], Maya Manzano J.M.^[3], Tormo Molina R.^[2], Fernández Rodríguez S.^[4], Gonzalo Garijo Á.^[5], Silva Palacios I.^[6], Monroy Colín A.^[1]

P.42 PRELIMINARY STUDY OF THE ATMOSPHERIC POLLEN IN 'SIERRA DE LAS NIEVES' NATURAL PARK (SOUTHERN SPAIN).

Picornell Rodríguez A.*, Recio M., Trigo M.M., Cabezudo B.

P.43 BACKWARD AIR TRAJECTORY MODELS FOR DETECTING POLLEN AIRBORNE SOURCES OF CASTANEA IN RONDA (SOUTH SPAIN).

Picornell Rodríguez A.*, Recio M., Trigo M.M., Cabezudo B.

P.44 FIRST STUDY OF POLLEN DISPERSION OF AN OLIVE (OLEA EUROPAEA L.) CROP IN URUGUAY.

Piñeyro A.^[1], Beri Á.*^[1], Arias M.^[2], Chiara J.P.^[2], Severino V.^[2]

P.45 ASSESSING THE AIR CONTENT OF SCHOOL CLASSROOMS IN FUNGAL SPORES. IS IT SAFE FOR CHILDREN?

Pyrrri I.*^[1], Sharma A.^[2]

P.46 MAIN WEATHER FACTORS, WHICH IMPACT CLADOSPORIUM SPORE CONCENTRATION IN UKRAINE

Rodinkova V.*, Mokin V.^[2], Kremenska L., Dratovanyj M.^[2]

P.47 POACEAE POLLEN AND LOL P1 ALLERGEN AS A MAIN SOURCE OF ALLERGY IN NORTH-WEST SPAIN

Rodríguez--Rajo F.J.*^[1], González--Fernandez E.^[1], Piña--Rey A.^[1], Fernández--González M.^[2], Aira M.J.^[3]

P.48 PREDICTION OF GODELLO GRAPE PRODUCTION IN A VINEYARD FROM NORTH-WEST SPAIN

Rodríguez--Rajo F.J.*^[1], Piña--Rey A.^[1], González--Fernandez E.^[1], Fernández--González M.^[1], Aira M.J.^[2]

P.49 MEASURING DIFFERENCES BETWEEN AEROALLERGENS AND AIRBORNE GRASS POLLEN CONCENTRATIONS BASED ON THE METEOROLOGICAL CONDITIONS

Rojo J.^[1], Rodrigues Costa A.^[3], Caseiro E.^[2], Lara B.^[1], Ferro R.^[2], Rapp A.^[1], Antunes Célia M.^[3], Pérez Badía R.*^[1]

P.50 BEHAVIOR OF THE PHENOLOGICAL DEVELOPMENT OF GRASS SPECIES WITH RESPECT TO METEOROLOGICAL VARIABLES IN CENTRAL SPAIN

Romero--Morte J., Rojo J., Cabañas A., Rivero R., Fernández--González F., Pérez Badía R.*

P.51 STREET DUST AND POLLEN LOAD IN SPRING: THE EFFECT OF PM10 AND PM2,5

Šauliene I.*, Šukienė L.

P.52 BEE POLLEN FORAGING PREFERENCES OF HONEYBEES IN GALICIA (NW SPAIN)

Seijo M.C., Rodríguez--Flores M.S., Seijo--Rodríguez A., Escuredo O.*

P.53 ACCUMULATED TEMPERATURE AND PLANE TREE AIRBORNE POLLEN PRESENCE IN THE AIR

Silva Palacios I.^[1], Tormo Molina R.^[1], Fernández Rodríguez S.*^[1], Maya Manzano J.M.^[3], Gonzalo Garijo Á.^[2], Monroy Colín A.^[1], Pecero Casimiro R.^[1]

P.54 APIN (ANNUAL POLLEN INTEGRAL) VALUES IN THE EXTREMADURA (SW SPAIN) AEROBIOLOGICAL NETWORK (AEROUEX)

Silva Palacios I.^[1], Maya Manzano J.M.*^[2], Tavira--Muñoz J.^[1], Moreno--Corchero A.^[1], Fernández Rodríguez S.^[1], Monroy Colín A.^[1], Pecero Casimiro R.^[1], Gonzalo Garijo Á.^[3], Cosmes--Martín P.^[4], Blanco--Pérez R.M.^[4], Domínguez--Noche C.^[4], Alvarado--Izquierdo M.I.^[4], Gómez--Nieves E.^[4], Fernández--Moya L.^[5], Sánchez--Vega S.^[5], Alfonso--Sanz J.V.^[6], Vaquero--Pérez P.^[6], Pérez--Marín M.L.^[6], Muñoz Rodríguez A.F.^[7], Tormo Molina R.^[1]

P.55 THE IMPACT OF RAGWEED ALLERGIES ON HEALTHCARE DEMAND: EMPIRICAL EVIDENCE FROM SWEDEN

Steinbach S.*

P.56 THE RELATIONSHIP BETWEEN SELECTED AIR POLLUTANTS AND ALLERGENIC POLLEN

Šukienė L.*^[1], Šauliene I.^[1], Kazlauskienė V.^[2]

P.57 AIRBORNE ALLERGENIC SPORE LOAD INVENTORY IN LITHUANIA

Šukienė L.*^[1], Šauliene I.^[1], Kazlauskienė V.^[2]

P.58 UPTAKE OF OZONE ON BIRCH POLLEN GRAINS

Visez N.*^[1], Farah J.^[1], Gosselin S.^[1], Petitprez D.^[1], Choël M.^[2]

P.59 TRENDS AND MODELING OF THE POACEAE POLLEN SEASON IN MOSCOW (RUSSIA)

Volkova O.*, Severova E.

P.60 URBAN FLORA IN THE CONTEXT OF PALYNOLOGY AND ALLERGOLOGY

Werchan B.*^[1], Werchan M.^[1], Bergmann K.^[2]

P.61 SENSITIZATION AGAINST THE NATIVE TREE-OF-HEAVEN (AILANTHUS ALTISSIMA [MILL.] SWINGLE) IN BEIJING, CHINA

Werchan M.^[1], Zhi Y.^[2], Gu J.^[2], Werchan B.^[1], Bergmann K.^[3]

P.62 DOMINATED AIRBORNE FUNGAL SPORES IN HATAY, TURKEY; THE EASTERN COAST OF THE MEDITERRANEAN BASIN

Yilmazkaya D.^[1], Tosunoglu A.^[1], Akgul H.^[2], Bicakci A.^[1]

P.63 THE VARIABILITY OF PROTEIN CONTENT AND PROTEIN SUBUNITS COMPOSITION IN BIRCH POLLEN COLLECTED FROM LOCATIONS DIFFERED IN POLLUTION LEVEL

Ziemianin M.^[1], Myszkowska D.^[1], Waga J.^[2], Skoczowski A.^[2], Czarnobilska E.^[1]